

Report No.: 0144188253a 001

Page 1 of 32

Client: LEGAMI S.R.L.

Via Stezzano, 18 - 24052 Azzano San Paolo (BG) - Italy

Test item(s): Toys

Identification/ Magic Cube

Model No(s): Item code: CUBE0001

Sample Receiving date: 2018-06-07

Testing Period: 2018-06-22 to 2018-07-09

Test Specification:

Please refer to "Test Result Summary List" on page 2 for details

Other information:

The provided age grade of the item(s) : Not Provided

The appropriate age grade of the item(s) : For age over 8 years.

The item(s) was/ were tested for the age of over 8 years.

Packaging provided : Artwork

For and on behalf of
TÜV Rheinland Hong Kong Ltd.



2018-07-11 To Wai Keung, William / Unit Senior Manager

Date

Name/Position

Test result is drawn according to the kind and extent of tests performed.

This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

Test Result Summary :

Test Specification:

Test result:

1 EN 71 - 1 : 2014 Mechanical and physical properties	PASS(see remark on page 5)
2 2009/48/EC CE marking	PASS(see remark on page 6)
3 2009/48/EC Labeling Requirement (Importer/ Manufacturer Mark, Product Identification, Washing/ Cleaning instruction)	Please refer to page 7
4 EN 71 - 2 : 2011+A1 :2014 Flammability	PASS
5 EN 71 - 3 : 2013 + A1 : 2014 Migration of 19 Elements	PASS
6 Council Directive (EU) 2017/738, amendment of Directive 2009/48/EC, Migration of Lead	PASS
7 Total Cadmium Content - REACH regulation (EC) No. 1907/2006 Annex XVII Item 23 and its amendments (EC) No. 552/2009, (EU) No. 494/2011, (EU) No. 835/2012 and (EU) No. 217/2016.	PASS
8 REACH regulation (EC) No. 1907/2006 and amendment no. 552/2009 Annex XVII entries 51 and 52 : Phthalates	PASS
DIBP content	PASS
CPSIA Sect 108 : Phthalates	PASS
16 CFR 1307 : Phthalates	PASS
California Safe Drinking Water and Toxic Enforcement Act of 1986 (CA Prop 65): DEHP content	PASS
Canada Phthalate Regulations SOR/2016-188	PASS
9 Polycyclic aromatic hydrocarbons (PAHs) - REACH regulation (EC) No. 1907/2006 with Amendment No. 552/2009 Annex XVII Item No. 50 and (EU) No.1272/2013	PASS
10 ASTM F963-17: Mechanical and physical	PASS
11 ASTM F963-17: Flammability on solids and soft toys	PASS
12 ASTM F963-17 Sect. 4.3.5.2, CPSIA Sect. 101, and Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): Total lead content in substrate materials	PASS
13 ASTM F963-17 Sect. 4.3.5.1 and 4.3.5.2 : Soluble heavy metal	PASS
14 CPSIA Sect 103: Tracking label	Please refer to page 24
15 Canada Consumer Product Safety ActToys Regulations SOR/2011-17 with amendments - Physical and Mechanical Tests	PASS

Test Report No.: 0144188253a 001

Page 3 of 32

16 Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments -Flammability Tests	PASS
17 Consumer Packaging and Labelling Act Regulation C.R.C., c 417	PASS(see remark on page 27)
18 Canada Consumer Products Containing Lead Regulations SOR/2018-83	PASS
19 AS/NZS 8124.1: 2016 Safety aspects related to mechanical and physical properties	PASS
20 AS/NZS 8124.2: 2016 Flammability	PASS
21 AS/NZS 8124.3: 2012 and Amdt 1: 2016 Migration of certain elements	PASS

Test Report No.: 0144188253a 001

Page 4 of 32

Material List:

Item: Magic Cube

Item code: CUBE0001

Material No.	Material	Color	Location
M001	Whole Product	Multicolour	Whole Product
M002	Plastic	Black	Cube body
M003	Plastic + printing + adhesive	Clear/White + Yellow	Sticker on cube
M004	Plastic + printing + adhesive	Clear/White + Hot Pink	Sticker on cube
M005	Plastic + printing + adhesive	Clear/White + White	Sticker on cube
M006	Plastic + printing + adhesive	Clear/White + Blue	Sticker on cube
M007	Plastic + printing + adhesive	Clear/White + Orange	Sticker on cube
M008	Plastic + printing + adhesive	Clear/White + Green	Sticker on cube

Test Report No.: 0144188253a 001

Page 5 of 32

1. EN71 - 1:2014 Mechanical and physical properties
Test result:

	Test No :	T001
	Material No:	M001
4. General requirements		
4.1 Material cleanliness		PASS
4.7 Edges		PASS
4.8 Points and metallic wires		PASS
7. Warnings, markings and instructions for use		
7.1 General		PASS(*)

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Remark:

- * The manufacturer/trader/applicant has confirmed that the above information marked (*) will be modified onto the product itself and/or packaging of the product.
- ^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

Test Report No.: 0144188253a 001

Page 6 of 32

2. 2009/48/EC CE Marking**Test result:**

	Test No:	T001
	Material No:	M001
CE-marking		PASS(*)

Remark:

- * The manufacturer/trader/applicant has confirmed that the above information marked (*) will be modified onto the product itself and/or packaging of the product.
- ^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

Test Report No.: 0144188253a 001 Page 7 of 32

3. 2009/48/EC Labeling Requirement (Importer/ Manufacturer Mark, Product Identification, Washing/ Cleaning instruction)

Test result:

Test No:	T001
Material No:	M001
Importer/ Manufacturer Mark (European Company name and address)+	Present(Package)
Product Identification - type, batch, serial or model number+	Present(Package)
Washing/ Cleaning instruction ^	Not Applicable

Remark:

- * Only the English version and German version of the marking and instructions were assessed. According to the standard, instruction and other texts required by the standard should be written in the official language(s) of the country in which the product is to be sold.
- ** The manufacturer/trader/applicant has provided the artwork for assessment in this test report.
- + These labeling shall be indicated on the toy, or where that is not possible, on its packaging or in documents accompanying the toys.

The correct adherence to all requirements according to directive 2009/48/EC in regards to the marking (name or trademark and contact address of the manufacturer respectively the marking for identification [type, batch, model or serial no.])of the toy can only be confirmed by the manufacturer, his delegate or the person who brings it onto the market. The marked article were assessed, however, they can not be evaluated in the frame of this test.

- ^ According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy shall, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions.

Test Report No.: 0144188253a 001

Page 8 of 32

4. EN 71 - 2: 2011+A1 :2014 Flammability**Test result:**

	Test No:	T001
	Material No:	M001
4.1 General		PASS

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

5. EN71-3:2013+A1:2014 Migration of 19 Elements - with reference to 2009/48/EC and its amendments

Test Method: with reference to EN71-3:2013+A1:2014, for inorganic elements, analyzed by ICP-OES or ICP-MS.

3) For scraped-off toy materials:

				Test No.	T001	T002 (*1)(57mg)	T003 (*1)(58mg)
				Material No.	M002	M003	M004
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result	Result
Aluminium (Al)	mg/kg	10	70000	n.d.	n.d.	n.d.	n.d.
Antimony (Sb)	mg/kg	5	560	n.d.	n.d.	n.d.	n.d.
Arsenic (As)	mg/kg	5	47	n.d.	n.d.	n.d.	n.d.
Barium (Ba)	mg/kg	2.5	18750	n.d.	n.d.	n.d.	n.d.
Boron (B)	mg/kg	10	15000	n.d.	n.d.	n.d.	n.d.
Cadmium (Cd)	mg/kg	1	17	n.d.	n.d.	n.d.	n.d.
Chromium (Cr)	mg/kg	0.15	-	n.d.	n.d.	n.d.	n.d.
Chromium (III) (Cr (III))§	mg/kg	0.15	460	-	-	-	-
Chromium (VI) (Cr (VI))§	mg/kg	0.15	0.2	-	-	-	-
Cobalt (Co)	mg/kg	2.5	130	n.d.	n.d.	n.d.	n.d.
Copper (Cu)	mg/kg	2.5	7700	n.d.	n.d.	n.d.	n.d.
Lead (Pb) †	mg/kg	2.5	160	n.d.	n.d.	n.d.	n.d.
Manganese (Mn)	mg/kg	2.5	15000	n.d.	n.d.	n.d.	n.d.
Mercury (Hg)	mg/kg	2.5	94	n.d.	n.d.	n.d.	n.d.
Nickel (Ni)	mg/kg	2.5	930	n.d.	n.d.	n.d.	n.d.
Selenium (Se)	mg/kg	10	460	n.d.	n.d.	n.d.	n.d.
Strontium (Sr)	mg/kg	2.5	56000	n.d.	n.d.	n.d.	6.1
Tin (Sn)	mg/kg	1.0	180000	n.d.	n.d.	n.d.	n.d.
Organic Tin^	mg/kg	1.0	12	-	-	-	-
Zinc (Zn)	mg/kg	10	46000	n.d.	n.d.	n.d.	n.d.

Test Report No.: 0144188253a 001

Page 10 of 32

				Test No.	T004 (*1)(56mg)	T005 (*1)(58mg)	T006 (*1)(56mg)
				Material No.	M005	M006	M007
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result	Result
Aluminium (Al)	mg/kg	10	70000	n.d.	n.d.	n.d.	n.d.
Antimony (Sb)	mg/kg	5	560	n.d.	n.d.	n.d.	n.d.
Arsenic (As)	mg/kg	5	47	n.d.	n.d.	n.d.	n.d.
Barium (Ba)	mg/kg	2.5	18750	n.d.	n.d.	n.d.	n.d.
Boron (B)	mg/kg	10	15000	n.d.	n.d.	n.d.	n.d.
Cadmium (Cd)	mg/kg	1	17	n.d.	n.d.	n.d.	n.d.
Chromium (Cr)	mg/kg	0.15	-	n.d.	n.d.	n.d.	n.d.
Chromium (III) (Cr (III))§	mg/kg	0.15	460	-	-	-	-
Chromium (VI) (Cr (VI))§	mg/kg	0.15	0.2	-	-	-	-
Cobalt (Co)	mg/kg	2.5	130	n.d.	n.d.	n.d.	n.d.
Copper (Cu)	mg/kg	2.5	7700	n.d.	n.d.	n.d.	n.d.
Lead (Pb) †	mg/kg	2.5	160	n.d.	n.d.	n.d.	n.d.
Manganese (Mn)	mg/kg	2.5	15000	n.d.	n.d.	n.d.	n.d.
Mercury (Hg)	mg/kg	2.5	94	n.d.	n.d.	n.d.	n.d.
Nickel (Ni)	mg/kg	2.5	930	n.d.	n.d.	n.d.	n.d.
Selenium (Se)	mg/kg	10	460	n.d.	n.d.	n.d.	n.d.
Strontium (Sr)	mg/kg	2.5	56000	n.d.	n.d.	n.d.	n.d.
Tin (Sn)	mg/kg	1.0	180000	n.d.	n.d.	n.d.	n.d.
Organic Tin^	mg/kg	1.0	12	-	-	-	-
Zinc (Zn)	mg/kg	10	46000	n.d.	n.d.	n.d.	n.d.

Test Report No.: 0144188253a 001

Page 11 of 32

				Test No.	T007 (*1)(53mg)
				Material No.	M008
Test Parameter	Unit	RL	Regulatory Requirement	Result	
Aluminium (Al)	mg/kg	10	70000	n.d.	
Antimony (Sb)	mg/kg	5	560	n.d.	
Arsenic (As)	mg/kg	5	47	n.d.	
Barium (Ba)	mg/kg	2.5	18750	n.d.	
Boron (B)	mg/kg	10	15000	n.d.	
Cadmium (Cd)	mg/kg	1	17	n.d.	
Chromium (Cr)	mg/kg	0.15	-	n.d.	
Chromium (III) (Cr (III))§	mg/kg	0.15	460	-	
Chromium (VI) (Cr (VI))§	mg/kg	0.15	0.2	-	
Cobalt (Co)	mg/kg	2.5	130	n.d.	
Copper (Cu)	mg/kg	2.5	7700	n.d.	
Lead (Pb) †	mg/kg	2.5	160	n.d.	
Manganese (Mn)	mg/kg	2.5	15000	n.d.	
Mercury (Hg)	mg/kg	2.5	94	n.d.	
Nickel (Ni)	mg/kg	2.5	930	n.d.	
Selenium (Se)	mg/kg	10	460	n.d.	
Strontium (Sr)	mg/kg	2.5	56000	n.d.	
Tin (Sn)	mg/kg	1.0	180000	n.d.	
Organic Tin^	mg/kg	1.0	12	-	
Zinc (Zn)	mg/kg	10	46000	n.d.	

Abbreviation: n.d. = Not Detected (< RL)
 RL = Reporting Limit
 mg/kg denotes milligram per kilogram
 § denotes Cr(III) and Cr(VI) are not necessary to be determined when the Combined Chromium concentration value is less than the requirement
 ^ denotes Organic tin are not necessary to be determined when the Tin concentration is less than calculated limit (3.6 mg/kg) or the components were confirmed to be pure metal

Remark:

† According to Council Directive (EU) 2017/738, the amendment of Directive 2009/48/EC, migration limits for lead in i) dry, brittle, powder-like or pliable toy materials; ii) liquid or sticky toy materials; and iii) scraped-off toy materials will be revised to 2.0 mg/kg, 0.5 mg/kg and 23 mg/kg, respectively. Effective from 28 October 2018.

*1 According to EN71- 3:2013+A1:2014, the weight of test portion was less than 100mg, but greater than 10mg. The result was calculated as if 100mg of the samples were available.

6. Council Directive (EU) 2017/738, amendment of Directive 2009/48/EC, Migration of Lead

Test Method: with reference to EN71-3:2013+A1:2014, for inorganic elements, analyzed by ICP-OES or ICP-MS.

Remark :
3) For scraped-off toy materials:

Test No.				T001	T002 (*1)(57mg)	T003 (*1)(58mg)
Material No.				M002	M003	M004
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Lead (Pb)	mg/kg	2.5	23	n.d.	n.d.	n.d.

Test No.				T004 (*1)(56mg)	T005 (*1)(58mg)	T006 (*1)(56mg)
Material No.				M005	M006	M007
Test Parameter	Unit	RL	Regulatory Requirement	Result	Result	Result
Lead (Pb)	mg/kg	2.5	23	n.d.	n.d.	n.d.

Test No.				T007 (*1)(53mg)
Material No.				M008
Test Parameter	Unit	RL	Regulatory Requirement	Result
Lead (Pb)	mg/kg	2.5	23	n.d.

Abbreviation: n.d. = Not Detected (< RL)
 RL = Reporting Limit
 mg/kg denotes milligram per kilogram

Remark:

- * The requirement is quoted from Council Directive (EU) 2017/738, the amendment of Directive 2009/48/EC, and effective from 28 October 2018.
- *1 According to EN71- 3:2013+A1:2014, the weight of test portion was less than 100mg, but greater than 10mg. The result was calculated as if 100mg of the samples were available.

7.Total Cadmium Content

Test Method: For plastic: EN 1122:2001 (method B)
For metal and other material: Acid digestion, analyzed by AAS/ ICP-OES

Test Result:

Test No.	Material No.	Test Parameter	Unit	RL	Test Result
T001	M002	Trial 1	mg/kg	10	15
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T002	M003 + M004 + M005	Trial 1	mg/kg	10	n.d.
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-
T003	M006 + M007 + M008	Trial 1	mg/kg	10	n.d.
		Trial 2	mg/kg	10	-
		Average	mg/kg	10	-

Abbreviation: n.d. = not detected (< Reporting Limit)
RL = Reporting Limit
mg/kg = milligram per kilogram

Test Report No.: 0144188253a 001 Page 14 of 32

Remark:

*Regulations on Cadmium

		Maximum Permissible Limit				
EU	Legislation	Plastic materials	Paint (wet state)	Paint on the painted articles	Paint (high zinc content)	Metal parts of jewellery and imitation jewellery articles and hair accessories
EC	REACH regulation (EC) No. 1907/2006 Annex XVII Item 23 and its amendments (EC) No. 552/2009, (EU) No. 494/2011, (EU) No. 835/2012 and (EU) No. 217/2016.	100mg/kg	100mg/kg	1000mg/kg	1000mg/kg	100mg/kg

		Maximum Permissible Limit
Country	Legislation	Paint, plastic, plating/ coating of surface treatment
Switzerland	Switzerland Chemikalien-Risikoreduktions-Verordnung-ChemRRV, 814.81, 18 May 2005	100mg/kg

8. Phthalates content

Test Method: Ref. to CPSC-CH-C1001-09.3

Test Result:

Test No.				T001	T002	T003
Material No.				M002	M003 + M004 + M005	M006 + M007 + M008
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	0.007	0.014	0.025
Dibutyl phthalate (DBP)	84-74-2	%	0.005	n.d.	n.d.	n.d.
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	n.d.	n.d.	n.d.
Sum (DBP+BBP+DEHP)	--	%	--	0.007	0.014	0.025
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	0.011	n.d.	n.d.
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	n.d.	n.d.	n.d.
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	n.d.	n.d.	n.d.
Sum (DINP+ DIDP+ DNOP)	--	%	--	0.011	n.d.	n.d.
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	n.d.	n.d.	n.d.
Di-n-pentyl phthalate (DnPP)	131-18-0	%	0.005	n.d.	n.d.	n.d.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	n.d.	n.d.	n.d.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	n.d.	n.d.	n.d.
Conclusion: REACH regulation (EC) No. 1907/2006 Annex XVII entries 51 and 52				Pass	Pass	Pass
Conclusion: DIBP content				Pass	Pass	Pass
Conclusion: CPSIA Section 108				Pass	Pass	Pass
Conclusion: 16 CFR 1307				Pass	Pass	Pass
Conclusion: CA Prop 65 DEHP content				Pass	Pass	Pass
Conclusion: Canada Phthalate Regulations SOR/2016-188				Pass	Pass	Pass

Abbreviation: n.d. = not detected (< Reporting limit)
 RL = Reporting Limit
 % = percentage

Remark:

Test Report No.: 0144188253a 001 Page 16 of 32

- Requirement of REACH regulation (EC) No. 1907/2006 and amendment no. 552/2009 Annex XVII entries 51 (formerly known as 2005/84/EC) on BBP, DBP and DEHP and 52 on DNOP, DIDP and DINP:

Parameter	Unit	Maximum Permissible Limit
Plasticised materials in children's toy or childcare article:		
Sum of Dibutyl phthalate (DBP), Benzylbutyl phthalate (BBP) and Diethylhexyl phthalate (DEHP)	%	0.1
Plasticised materials in children's toy and childcare articles which can be placed in the mouth by children:		
Sum of Di-n-octyl phthalate (DNOP), Diisodecyl phthalate (DIDP) and Diisononyl phthalate (DINP)	%	0.1

- Single component with an amount below reporting limit was not considered by the calculation of the sum, In the case of all phthalates were not detected
- In toys, CMR-substances may not be used in concentrations above its classification limit. The generic concentration limit for the reprotoxic, category 1B H360 ("May damage fertility or the unborn child.") is $\geq 0.3\% (w/w)$ and this will be adopted on Diisobutyl phthalate (DIBP) from 01 March 2018.
- Requirement of Consumer Product Safety Improvement Act 2008, section 108, is summarized below:

Parameter	Unit	Maximum Permissible Limit
Accessible plasticized components in children's toy or childcare article:		
Dibutyl phthalate (DBP), Benzylbutyl phthalate (BBP) or Diethylhexyl phthalate (DEHP)	%	0.1 (each)
Accessible plasticized components in children's toy that can be placed in a child's mouth or childcare article:		
Di-n-octyl phthalate (DNOP), Diisodecyl phthalate (DIDP) or Diisononyl phthalate (DINP)	%	0.1 (each)

- Requirement of 16 CFR 1307 as specified in Federal Register Vol. 82 49938, is summarized below:

Date of Implementation	Parameter	Unit	Maximum Permissible Limit
4/25/2018	Accessible plasticized components in children's toy or childcare article:		
	Dibutyl phthalate (DBP), Benzylbutyl phthalate (BBP), Diethylhexyl phthalate (DEHP), Diisononyl phthalate (DINP), Diisobutyl Phthalate (DIBP), Di-n-pentyl Phthalate (DPENP) (DnPP), Di-n-hexyl Phthalate (DHEXP) (DnHP), Dicyclohexyl Phthalate (DCHP)	%	0.1 (each)

Requirement of Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):DEHP content

- 1,000ppm (0.1%) each as quoted from County of Alameda Case No. BG-07350969

Test Report No.: 0144188253a 001 Page 17 of 32

- Requirement of Canada Phthalate Regulations SOR/2016-188, is summarized below:

Parameter	Unit	Maximum Permissible Limit
all vinyl components in a toy or child care article:		
Dibutyl phthalate (DBP), Benzylbutyl phthalate (BBP) and Diethylhexyl phthalate (DEHP)	%	0.1 (each)
All vinyl components of a toy or child care article that can, in a reasonably foreseeable manner, be placed in the mouth of a child under four years of age		
Di-n-octyl phthalate (DNOP), Diisodecyl phthalate (DIDP) and Diisononyl phthalate (DINP)	%	0.1 (each)

9. Polycyclic aromatic hydrocarbons (PAHs)

Test Method: Organic solvent extraction, GCMS

				Test No.	T001	T002	T003
				Material No.	M002	M003 + M004 + M005	M006 + M007 + M008
Test Parameter	CAS NO	Unit	RL	Result	Result	Result	
Benzo[a]anthracene (BaA)	56-55-3	mg/kg	0.1	n.d.	n.d.	n.d.	
Benzo[a]pyrene (BaP)	50-32-8	mg/kg	0.1	n.d.	n.d.	n.d.	
Benzo[b]fluoranthene (BbFA)	205-99-2	mg/kg	0.1	n.d.	n.d.	n.d.	
Benzo[k]fluoranthene (BkFA)	207-08-9	mg/kg	0.1	n.d.	n.d.	n.d.	
Benzo[j]fluoranthene (BjFA)	205-82-3	mg/kg	0.1	n.d.	n.d.	n.d.	
Benzo[e]pyrene (BeP)	192-97-2	mg/kg	0.1	n.d.	n.d.	n.d.	
Chrysene (CHR)	218-01-9	mg/kg	0.1	n.d.	n.d.	n.d.	
Dibenzo[a,h]anthracene (DBAhA)	53-70-3	mg/kg	0.1	n.d.	n.d.	n.d.	

Abbreviation: n.d. = Not Detected (< Reporting Limit)
 RL = Reporting Limit
 NA = Not Applicable
 mg/kg = milligram per kilogram

Remark:

* Requirement according to REACH regulation (EC) No. 1907/2006 with Amendment No. 552/2009 Annex XVII Item No. 50 and (EU) No.1272/2013, are summarized as below:

Scope	Parameter	Unit	Maximum permissible limit
Articles with direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, made of plastic and rubber shall follow below limit:			
Such articles include amongst others: ---sport equipment such as bicycles, golf clubs, racquets ---household utensils, trolleys, walking frames --- tools for domestic use --- clothing, footwear, gloves and sportswear ---watch-straps, wrist-bands, masks, head-bands	Each of 8 listed PAHs	mg/kg	1
Toys, including activity toys, and childcare articles	Each of 8 listed PAHs	mg/kg	0.5

Test Report No.: 0144188253a 001 Page 19 of 32

10.ASTM F963-17: Mechanical and physical

Test result:

Test No:	T001
Material No:	M001
4.1 Material Quality (visual check)	PASS
4.7 Accessible edges	PASS
5. Labeling requirements	
5.16 Promotional materials	PASS
6. Instructional literature	
6.1 Definition and description	PASS
7. Producer's markings	
7.1 Name and address of the producer or the distributor	PASS

Use and Abuse Tests:

The submitted samples were undergone the use and abuse tests in accordance with FHSA 16 CFR and whichever is applicable the tested age grade.

Age Category	Impact Test	Flexure Test	Torque Test	Tension Test	Compression Test
0-18 Months 16 CFR 1500.51	10 x 4.5 ft	120 Arc 30 Cycles 10 lbs	2 in-lbs	10 lbs	20 lbs
19-36 Months 16 CFR 1500.52	4 x 3 ft	120 Arc 30 Cycles 15 lbs	3 in-lbs	15 lbs	25 lbs
37-96 Months 16 CFR 1500.53	4 x 3 ft	120 Arc 30 Cycles 15 lbs	4 in-lbs	15 lbs	30 lbs

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Remark:

^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

Test Report No.: 0144188253a 001	Page 20 of 32
---	---------------

11.ASTM F963-17: Flammability on solids and soft toys

Test result:

	Test No:	T001
	Material No:	M001
4.2 Flammability on solids and soft toys		PASS

The burning rate of the most severe part = IBE

Note: Maximum permissible burning rate = 0.1 Inch/sec.

Abbreviation: IBE = Ignite But Self-extinguish

12.ASTM F963-17 Sect. 4.3.5.2, CPSIA Sect. 101, and Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) : Total lead content in substrate materials

Test method: CPSC-CH-E1001-08.3 and CPSC-CH-E1002-08.3 (Microwave method)

Test result:

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory Requirement	Test Result
T001	M002	Lead Content	ppm	10	100	19
T002	M003 + M004 + M005	Lead Content	ppm	10	100	n.d.
T003	M006 + M007 + M008	Lead Content	ppm	10	100	n.d.

Abbreviation: n.d. = Not Detected (< RL)
 RL = Reporting Limit
 ppm = parts per million

Remark:

- *1 CA Prop. 65 -Total lead content
 - Paint or surface coating in products shall not contain more than 0.009% (90 ppm) total lead content
 - Other components in product shall not contain more than 0.01% (100 ppm) total lead content

Test Report No.: 0144188253a 001 Page 22 of 32

13.ASTM F963-17 Sect. 4.3.5.1 and 4.3.5.2 : Soluble heavy metal

Test method: For paint and similar surface-coating materials: ASTM F963-17 Section 8.3.2 - 8.3.4 Method to Dissolve Soluble Matter for Surface Coatings, Preparation of Test Samples and Test Procedures

For substrate: ASTM F963-17 Section 8.3.5 Soluble Element Test Method for Substrate Materials

This requirement applies to the coating and substrate materials which the sample weight is greater than 10 mg

Test result:

Test No.	Material No.	[mg/kg]							
		Sb	As	Ba	Cd	Cr	Pb	Hg	Se
		Maximum Permissible Limit of Any Toy Materials except Modelling Clay							
		60	25	1000	75	60	90	60	500
		Maximum Permissible Limit of Modelling Clay							
		60	25	250	50	25	90	25	500
		RL							
		2.5	2.5	2.5	2.5	2.5	2.5	2.5	
T001	M002	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T002 (*1) (57mg)	M003	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T003 (*1) (58mg)	M004	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T004 (*1) (56mg)	M005	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T005 (*1) (58mg)	M006	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T006 (*1) (56mg)	M007	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T007 (*1) (53mg)	M008	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.

Abbreviation: n.d. = Not Detected (< RL)
 RL = Reporting Limit
 mg/kg = milligram per kilogram

Test Report No.: 0144188253a 001

Page 23 of 32

Remark:

- *1 The weight of test portion marked (*1) available was less than 100 mg, but greater than 10 mg, so results were calculated as if 100 mg of the sample were available.

Test Report No.: 0144188253a 001

Page 24 of 32

14.CPSIA Sect 103: Tracking label

Test Result:

	Test No:	T001
	Material No:	M001
Present On Packaging		Absent
Present On Product		Absent
Advertisement claims on safety standards		Not Applicable

Test Report No.: 0144188253a 001	Page 25 of 32
---	---------------

15.Canada Consumer Product Safety Act - Toys Regulations SOR/2011-17 Physical and Mechanical Tests

Test result:

Test No:	T001
Material No.	M001

Section

Result

Mechanical Hazards

10 Plastic edges

PASS

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Remark:

^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

Test Report No.: 0144188253a 001	Page 26 of 32
---	---------------

16.Canada Consumer Product Safety Act - Toys Regulations SOR/2011-17 Flammability Tests

Test result:

Test No:	T001
Material No.	M001

Section

Result

21 Celluloid or cellulose nitrate

PASS

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Test Report No.: 0144188253a 001 Page 27 of 32

17.Consumer Packaging and Labelling Act & Regulation

Test result:

	Test No:	T001
	Material No:	M001

<u>Requirement</u>	<u>Result</u>
Responsibility declaration	PASS(*)
Country of origin	PASS(*)
Quebec specific requirement	PASS(*)

Remark:

- * The manufacturer/trader/applicant has confirmed that the above information marked (*) will be modified onto the product itself and/or packaging of the product.
- ^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

18.Canada Consumer Product Safety Act, Consumer Products Containing Lead Regulations SOR/2018/83

Test Method: With reference to Health Canada Product Safety Laboratory Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, Method C-02.2 (2016), Method C-02.3 (2013) and Method C-02.4 (2013)

Test result

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory requirement	Test Result	Conclusion
T001	M002	Total Lead Content	mg/kg	10	90	19	Pass
T002	M003 + M004 + M005	Total Lead Content	mg/kg	10	90	n.d.	Pass
T003	M006 + M007 + M008	Total Lead Content	mg/kg	10	90	n.d.	Pass

Abbreviation: n.d. = Not Detected (< Reporting Limit)
 RL = Reporting Limit
 mg/kg = milligram per kilogram

Remark:

* According to Canada Consumer Product Safety Act, Consumer Products Containing Lead Regulations SOR/2018-83, all accessible part of consumer products containing lead listed below should not contain more than 90 mg/kg of total lead:

- a) a product that is brought into contact with the user's mouth during normal use, except for
 - (i) a kitchen utensil, or
 - (ii) a product that is subject to the Glazed Ceramics and Glassware Regulations;
- b) any clothing or clothing accessory that is intended for use by a child under 14 years of age;
- c) a product that is intended for use in learning or play by a child under 14 years of age;
- d) a book or similar printed product that is intended for a child under 14 years of age, except if it is
 - (i) printed on paper or cardboard, and
 - (ii) printed and bound in a conventional manner using conventional materials;
- e) a product whose primary purpose is to facilitate the relaxation, sleep, hygiene, carrying or transportation of a child under four years of age. (produit de consommation contenant du plomb)

Test Report No.: 0144188253a 001

Page 29 of 32

19.AS/ NZS 8124.1: 2016 Safety aspects related to Mechanical and Physical properties**Test result:**

	Test No:	T001
	Material No:	M001
4 General Requirement		
4.1 Normal Use		PASS
4.3 Material		PASS
Annex B Safety labelling guidelines and manufacturer's markings		PASS

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Remark:

^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

Test Report No.: 0144188253a 001

Page 30 of 32

20.AS/NZS 8124.2:2016 Flammability**Test result:**

	Test No:	T001
	Material No:	M001
4.1 General		PASS

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Remark:

Type of gas used in gas burner: Butane

21.AS/NZS 8124.3: 2012 and Amdt 1: 2016 - Migration of Certain Elements

Test Method: AS / NZS 8124.3: 2012 and Amdt 1: 2016, analyzed by ICP-OES

Test Result:

Test No.	Material No.	mg/kg							
		Sb	As	Ba	Cd	Cr	Pb	Hg	Se
		Maximum Permissible Limit of Any Toy Materials except Modelling Clay							
		60	25	1000	75	60	90	60	500
		Maximum Permissible Limit of Modelling Clay							
		60	25	250	50	25	90	25	500
		RL							
		2.5	2.5	2.5	2.5	2.5	2.5	2.5	
T001	M002	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T002 (*1) (57mg)	M003	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T003 (*1) (58mg)	M004	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T004 (*1) (56mg)	M005	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T005 (*1) (58mg)	M006	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T006 (*1) (56mg)	M007	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
T007 (*1) (53mg)	M008	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.

Abbreviation: n.d. = not detected (< Reporting Limit)
 RL = Reporting Limit
 mg/kg = milligram per kilogram

Remark:

- *1 The weight of test portion marked (*1) available was less than 100mg, but greater than 10mg. The result was calculated as if 100mg of the samples were available.
- *2 According to the Consumer Protection Notice No.1 2009 under section 65(C) of the Trade Practices Act 1974 on February 2,2009, clause 4.4 of AS 8124 - 7: 2003 will be adopted for the maximum permissible limit of finger paint for children, effective on January 1, 2010.

Sample Photos



- END -

General Terms and Conditions of Business of TÜV Rheinland in Greater China

1. Scope

1.1 These General Terms and Conditions of Business of TÜV Rheinland in Greater China is made between the client and one or more member entities of TÜV Rheinland in Greater China as applicable as the case may be ("TÜV Rheinland").

1.2 The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance.

1.3 Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.

2. Quotations

Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

3. Coming into effect and duration of contracts

3.1 The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested services.

3.2 The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.

3.3 If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a six-week notice prior to the end of the contractual term.

4. Scope of services

4.1 The scope of the services shall be decided solely by a unanimous declaration issued by both parties. If no such declaration exists, then the written confirmation of order by TÜV Rheinland shall be decisive.

4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.

4.3 TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.

4.4 On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole and its upstream and/or downstream processes, organisations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TÜV Rheinland shall assume no responsibility for the construction, selection of materials and assembly of installations examined, nor for their use and application in accordance with regulations unless these questions are expressly covered by the contract.

4.5 In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.

5. Performance periods/dates

5.1 The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TÜV Rheinland in writing.

5.2 If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.

5.3 Articles 5.1 and 5.2 also apply, even without express approval by the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland.

6. The client's obligation to cooperate

6.1 The client shall guarantee that all cooperation required on its part, its agents third parties will be provided in good time and at no cost to TÜV Rheinland.

6.2 Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions.

6.3 The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed, TÜV Rheinland shall be entitled to charge extra fees for such additional expense.

7. Invoicing of work

7.1 If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TÜV Rheinland valid at the time of performance.

7.2 Unless otherwise agreed, work shall be invoiced according to the progress of the work.

7.3 If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds €2,500.00 or equivalent value in local currency, TÜV Rheinland may demand payments on account or in instalments.

8. Payment terms

8.1 All invoice amounts shall be due for payment without deduction on receipt of the invoice. No discounts shall be granted.

8.2 Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and customer numbers.

8.3 In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term loan interest rate publicly announced by a reputable commercial

bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.

8.4 Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.

8.5 The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.

8.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.

8.7 TÜV Rheinland shall be entitled to demand appropriate advance payments.

8.8 TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees remains under 5% per contractual year, the client shall not have the right to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.

8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland.

9. Acceptance

9.1 Any part of the work ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.

9.2 If the client fails to fulfil its acceptance obligation immediately, acceptance shall be deemed to have taken place 4 calendar weeks after completion of the work provided that TÜV Rheinland has specifically made the client aware of the aforementioned deadline upon completion of the work.

10. Confidentiality

10.1 For the purpose of these terms and conditions, "confidential information" means all information, documents, images, drawings, know-how, data, samples and project documentation which one party (the "disclosing party") hands over, transfers or otherwise discloses to the other party (the "receiving party"). Confidential information also includes paper copies and electronic copies of such information.

10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information transmitted by e-mail. If confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within five working days of oral disclosure. Where the disclosing party fails to do so within the stipulated period, the receiving party shall not take any confidentiality obligations hereunder towards such information.

10.3 All confidential information which the disclosing party transmits or otherwise discloses to the receiving party during performance of work by TÜV Rheinland:

a) may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party;

b) may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, judicial court, accreditation bodies or third parties that are involved in the performance of the contract;

c) must be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.

10.4 The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in this confidentiality clause.

10.5 Information for which the receiving party can furnish proof that:

a) it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or

b) it was disclosed to the receiving party by a third party entitled to disclose this information; or

c) the receiving party already possessed this information prior to disclosure by the disclosing party; or

d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidentiality clause.

10.6 All confidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and/or (ii) on request by the disclosing party, to destroy all confidential information, including all copies, and confirm the destruction of this confidential information to the disclosing party in writing, at any time if so requested by the disclosing party but at the latest and without special request after termination or expiry of the contract. This does not extend to include reports and certificates prepared for the client solely for the purpose of fulfilling the obligations under the contract, which shall remain with the client. However, TÜV Rheinland is entitled to make file copies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to evidence the correctness of its results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.

10.7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and

shall not disclose this information to any third parties or use it for itself.

11. Copyrights

11.1 TÜV Rheinland shall retain all exclusive copyrights in the expert reports, test results, calculations, presentations etc. prepared by TÜV Rheinland.

11.2 The client may only use such expert reports, test results, calculations, presentations etc. prepared within the scope of the contract for the contractually agreed purpose.

11.3 The client may use test reports, test results, expert reports, etc. only complete and unshortened. Any publication or duplication for advertising purposes needs the prior written approval of TÜV Rheinland.

12. Liability of TÜV Rheinland

12.1 Irrespective of the legal basis, in the event of a breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract for annually recurring services, the agreed annual fee; (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euro or equivalent amount in local currency; and (iv) in the case of a framework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwithstanding the above, in the event that the total and accumulated liability calculated according to the foregoing provisions exceeds 2.5 Million Euro or equivalent amount in local currency, the total and accumulated liability of TÜV Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency.

12.2 The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by malice, intent or gross negligence on the part of TÜV Rheinland or its vicarious agents. Such limitation shall not apply to damages for a person's death, physical injury or illness.

12.3 In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseeable damages), unless any of the circumstances described in article 12.2 applies.

12.4 TÜV Rheinland shall not be liable for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of its services under the contract, unless such personnel made available is regarded as vicarious agent of TÜV Rheinland. If TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnify TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel's acts.

12.5 The limitation periods for claims for damages shall be based on statutory provisions.

12.6 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the client.

13. Partial invalidity, written form, place of jurisdiction and dispute resolution

13.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 13.1.

13.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.

13.3 Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below:

a) if TÜV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of the People's Republic of China.

b) if TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.

c) if TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.

13.4 Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations.

Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:

a) in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled by arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately chosen by the claiming party.

b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association Taipei Branch to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.

c) in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.

The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.